



**Residential & double/French doors operation & maintenance instructions**



# Camel Glass

## Residential and double/French doors operation & maintenance instructions

### Opening the door

#### From the outside.

Insert the key into the barrel and rotate.

If a lever handle is installed, then operate the lever handle by pushing it down, to open the door leaf.

Remove the key.

#### From the Inside

Insert the key into the barrel and rotate.

Remove the key.

If a lever handle is installed, then operate the lever by pushing it down, to open the door leaf.

If a thumb turn is installed on the door, then simply turn this as if a key and operate the door as normal.

### Closing the door

#### From the outside.

Close the door to the point at which the latch engages and It is held against the frame.

If fitted with a lever handle, lift this fully to engage the lock.

Insert the key and rotate to lock.

Remove the key.

#### From the Inside

Close the door to the point at which the latch engages and It is held against the frame.

If fitted with a lever handle, lift this fully to engage the lock.

Insert the key and rotate to lock.

If a thumb turn is fitted, then rotate this as a key.

Remove the key

### Double / French doors

These consist out of opening sections with a specific opening sequence. The door is equipped with a handle, which is operated as above. The slave or secondary door can also be fitted with an operating handle or may have finger bolts located top and bottom, inside the open rebate, when the lead door is opened.

## Maintenance instructions

### Lubrication of moving parts

Your new window contains mechanical moving parts that will need to be lubricated periodically. This will include the hinges, handles and lock. Lubricate with a silicone spray or grease and wipe away excess with a non-abrasive cloth. Extra care should be taken in Hazardous environments, such as marine and indoor swimming pools, to ensure that all moving parts are protected, application of protective lubricants twice a month is advised.

### Washing of profiles.

Use a light, soapy solution (such as a diluted baby bath product) and a non-abrasive cloth to wipe dirt from the window frames. Washing up liquid is not recommended and do not use solvent based cleaning agents or abrasive agents.

